



DASH NO. MCODE MADE FROM



GSD

129-16-9

REVISIONS			
ISSUE	CHANGES		
0	ER	30869	24 MAY 89
1	CN	30959 E	26 JUN 89
2	CN	31068 C	10 AUG 89

GSD

NOTES:

- INTERFACE PER MIL-STD-348, FIG. 313-2.
- MATERIALS:
CENTER CONTACTS - BERYLLIUM COPPER, QQ-C-530
LOCKWASHER - PHOSPHOR BRONZE, QQ-P-530
CAP - BRASS, QQ-B-613
ALL OTHER METAL PARTS - BRASS, QQ-B-626
INSULATORS - TEFLON, L-P-403
O-RING - SYNTHETIC RUBBER PER MIL-P-25732.
- FINISHES:
CENTER CONTACTS - HARD GOLD PLATE PER MIL-G-4520A
ALL OTHER METAL PARTS - KINGS TARNISH RESISTANT FINISH (TR-5).
- ELECTRICAL CHARACTERISTICS:
NOMINAL IMPEDANCE - 50 Ω
FREQUENCY RANGE - DC TO 11 GHZ
VOLTAGE RATING - 500 VRMS.
- MARK PACKAGE: KINGS 129-16-9
XXXX (DATE CODE)

UNLESS OTHERWISE SPECIFIED:

- TOLERANCES: FRACTIONS & 2 PLACE DECIMALS ± .010
3 PLACE DECIMALS ± .004 ANGLES ± 0°30'
- REMOVE ALL BURRS, BREAK SHARP EDGES .005 MAX.
- NO FILLETS PERMITTED.
- SURFACE ROUGHNESS 63 MICROINCHES RMS MAX.
- ALL DIMENSIONS PRIOR TO PLATING.
- ALL PLATING IN ACCORDANCE WITH KER 10004.

SCALE	4:1
APPROX SURFACE AREA	
WAS: E-15689	
USED ON	
REF	BOEING
TNC BULKHEAD ADAPTER F-F-F-F	
DRAWN M. Z. B.	DATE 13 APR 89
APPR JT	DATE 14 APR 89
APPR VLS	DATE 6/5/89
 ELECTRONICS CO., INC TUCKAHOE, NEW YORK 10707	

129-16-9